The
MICHIGAN ENTOMOLOGIST

VOLUME IV (1971–1972)

Irving J. Cantrall
Editor

PUBLICATION DATES

Number 1	23 November 1971
Number 2	19 April 1972
Number 3	16 June 1972
Number 4	16 June 1972

Published by

THE MICHIGAN ENTOMOLOGICAL SOCIETY
c/o Department of Entomology
Michigan State University
East Lansing, Michigan 48823, U.S.A.

THE MICHIGAN ENTOMOLOGIST

VOLUME IV (1971-1972)

AUTHOR INDEX

Cutler, Bruce. Spiders from Heading Bluegrass (*Poa pratensis* L.) in Roseau County, Minnesota, 123.

Fischer, Roland L. (See Wellso, Stanley G. and Roland L. Fischer), 105.

Fowler, Richard F. and Louis F. Wilson, White Grub Populations, *Phyllophaga* spp., in Relation to Damaged Red Pine Seedlings in Michigan and Wisconsin Plantations (Coleoptera: Scarabaeidae), 23.

Fowler, Richard F. and Louis F. Wilson. Evaluation of Three Aldrin Application Methods for White Grub, *Phyllophaga* spp., Control (Coleoptera: Scarabaeidae), 89.

Gloyd, Leonora K. Gynandromorphism in the Odonata, 93.

Grimble, David G., Fred B. Knight and John C. Nord. Associated Insects Reared from Galls of *Saperda inornata* (Coleoptera: Cermabycidae) on Trembling Aspen in Michigan, 53.

Goto, H. E. The Effect of Carbon Dioxide Anaethesia on Collembola, 61.

Hodges, Ronald W. Lepidoptera of New York and Neighboring States. Part I (1923) by William T. M. Forbes (review), 32.

Johnson, Wendel J. (See Wilson, Nixon and Wendel J. Johnson), 109.

Kaufmann, Tohko. Biology and Ecology of *Melanoplus borealis* (Orthoptera: Acrididae) in Fairbanks, Alaska with Special Reference to Feeding Habits, 3.

Knight, Fred B. (See Nord, John C. and Fred B. Knight), 33.

Knight, Fred, B. (See Nord, John C. and Fred B. Knight), 39.

Knight, Fred B. (See Grimble, David G., Fred B. Knight and John C. Nord), 53.

Manley, Gary V. Notes on Feeding Behavior of *Atlanticus testaceus* (Orthoptera: Tettigoniidae), 63.

Mathews Robert W. The Wasps by Howard E. Evans (review), 13.

Mathews, Robert W. and Janice R. Mathews. The Malaise Trap: Its Utility and Potential for Sampling Insect Populations, 117.

Miller, William E. Annual Variation in Starting Date of Spring Feeding by the European Pine Shoot Moth in a Michigan Planting, 28.

Nelson, Sigurd Jr. Phoresy by Pseudoscorpions, 95.

Nord, John C. and Fred B. Knight. The Nomenclatural Status of *Saperda inornata* Say (Coleoptera: Cerambycidae), 33.

Nord, John C. and Fred B. Knight. The Geographic Variation of *Saperda inornata* Say (Coleoptera: Cerambycidae) in Eastern North America. 39.

Nord, John C. (See Grimble, David G., Fred B. Knight and John C. Nord), 53.

Orr, Oliver H. Use and Conservation of the Biosphere (review), 58.

Ruppel, Robert F. An Asymetrical Gynandromorph of *Cerotoma facialis* (Coleoptera: Galerucidae), 1.

Throne, Alvin L. The Neuroptera–Suborder Planipennia of Wisconsin. Part I–Introduction and Chrysopidae, 65.

Throne, Alvin L. The Neuroptera–Suborder Planipennia of Wisconsin. Part II–Hemerobiidae, Polystoechotidae, and Sisyridae, 79.

Tyrkus, Michael. The Feasibility of Use of Caecal and Diverticular Coloration in Field Determination of Grasshopper Diet, 14.

Viedma, M. G. de. Spanish Entomology: Past and Present, 97.

Wellso, Stanley G. and Roland L. Fischer. Insects Taken at Japanese Beetle Traps Baited with Anethole–eugenol in Southern Michigan in 1968, 105.

Wilson, Nixon and Wendel J. Johnson. Ectoparasites of Isle Royal, Michigan, 109.

Wilson, Louis F. (See Fowler, Richard F. and Louis F. Wilson), 23.

Wilson, Louis F. (See Fowler, Richard F. and Louis F. Wilson), 89.

Wilkinson, Ronald S. Centurie de Lépidoptères de l'Ile de Cuba (1832) by Felipe Poey y Aloy (review), 31.

Wilkinson, Ronald S. Invertebrata Pacifica (1903-07). Edited by C. F. Baker (review), 32.

Wilkinson, Ronald S. Daylight Collecting of *Catocala* (Lepidoptera: Noctuidae), 59.

Wilkinson, Roland S. World Guide to Technical Information and Documentation Services. UNESCO (review), 58.

SUBJECT INDEX

Compiled by Carol L. Ries

Acanthothrips nodicornis, 57.
Acer saccharinum, 80.
Achearanea globosa, 125.
Achillea sibirica, 6, 10.
Acrididae, 3.
Acronycta morula, 95.
Aculeata, 120.
Adalia bipunctata, 107.
Aderidae, 102.
admirabilis, Syrbula, 15.
Aegeria apiformis, 104.
Aegeriidae, 56.
Aeshna juncea, 93, 94.
Aeshnidae, 93.
Agapostemon virescens 107.
Agathis cincta 56.
Agenjo, R., 102.
Agrostis species, 19.
Aix sponsa, 95.
Alaus oculatus, 95.
albipictus, Dermacentor, 109.
alces, Alces, 109.
Alces alces, 109.
Alnus, 50; *rugosa*, 80.
ambulans, Haemogamasus, 110.
americanus, Lepus 109-111, 113.
amiculus, Sympherobius, 83.
Anatis quindecimpunctata. 107.
Androlaelaps fahrenholzi, 110.
Anethole-eugenol, bait in Japanese Beetle Traps, 105-108.
angusi, Catocala, 60.
angulatus, Micromus, 79, 82.
angustifolium, Epilobium, 6, 10.
Anobiidae, 102.
aphids, 102.
Anoplura, 110.
Anthrenus scrophulariae, 56.
anxia, Phyllophaga, 107.
Aphodius, 24.
apiculata, Pardalophora, 16, 19-22.
Apidae, 107.
Aphididae, 107.
apiformis, Aegeria, 104.
Apis mellifera, 106, 107.
Apochetridium, 95; *stannardi*, 95.
Apoidea, 120.
arabesca, Neoscona, 124.
Araneus species, 124, 126.
Artagrostis latifolia, 6, 10.
arenarius, Minyriolus, 124.
Araneidae, 124.
areolaris, Climacia, 86.
arvense, Equisetum, 6, 10.
Arphia pseudonietana pseudonietana, 16.
Arroyo, Manuel, 103.
Asclepiadaceae, 21.
Asclepias tuberosa, 21.

Ascogaster species, 56.
Astigmata, 110.
Atanycolus rugosiventris, 56.
Atlanticus testaceus, 63-64; feeding behavior of, 63.
atra, Erigone, 124.
Atritomellus species, 56.
Aulló, Manuel, 103.
auratus, Chrysochus, 107.
auricularia, Forficula, 107.
auricularis, Polyplax, 110.

Bachiller, Pedro, 104.
Báguena, Luis, 102.
barberi, Sympherobius, 83.
Bathyphantes canadensis, 125; *gracilis*, 125; *pullatus*, 125.
Beetle, Japanese, in Michigan, 105-108.
bicallosa, Mecas, 34.
bicolor, Xylophrurus, 56.
bicolor, maurus, Xylophrurus, 57.
bipunctata, Adalia, 107.
bimaculata bimaculata, Melissodes, 107.
bimaculatus, Bombus, 105, 107.
blasamifera, Populus, 43-51.
Bolívar, *Candido, 99-100.*
Bolívar, Ignacio, 97, 99, 102.
bolli bolli, Spharagemon, 16, 21.
Bombus bimaculatus, 105, 107; *fervidus*, 107; *impatiens*, 105, 107; species, 106; *terricola*, 105.
Bonet, F., 100.
borealis borealis, Melanoplus, biology and ecology of, 3-13; feeding habits of adults and nymphs, 3-9.
Boriomyia, 79; *pretiosa*, 84.
brachiale, Orthetrum, 93.
brachyptera, Euthystira, 7.
Bracon new species, 56.
Braconidae, 56, 57, 102.
Bradysia species, 56.
bruneri, Melanoplus, 13.
brunnea, Parandra, 107.
buoliana, Rhyacionia, 28-31.
Buprestidae, 102.

Cadahia, Domingo, 104.
caedens caedens, Orchopeas, 111, 113
caedens durus, Orchopeas, 113.
Caenurgia crassiuscula, 95.
Calamagrostis canadensis, 6-8, 10.
californica, Chrysopa, 72.
Calliptamus italicus, 103.
Calopterygidae, 93.
Calopteryx, 94; *splendens*, 93, 94; *virgo* 93.
canadensis, Bathphántes, 125
Calamagrostis, 6-8, 10
Eremochrysa, 76.
canalicularis, Tibicen, 107.
candata, Tetragnatha, 125.
candida, Folsomia, 61-62.
Canis lupus, 109.
Cantharidae, 105, 107.
Capellia species, 56.
capitata, Ceratitis, 103.
Carabidae, 102, 105, 107.
cara, Catocala, 59.
carcharias, Saperda, 104.
carnea, Chrysopa (Carnea Group), 68, 69, 72, 73, 75, 77, 78.
carolina, Dissosteira, 16, 19, 20.
caroliniana, Carpinus, 80.
carota, Daucus, 21.
Carpinus caroliniana, 80.
Catabrithorax plumosus, 124.
Catantopinae, 16.
Catocala, 59-60; *angusi*, 60; *cara*, 59; daylight collecting of, 59, 60; *dejecta*, 60; *judith*, 59; *fraxini*, 59; *neogama*, 95; *obscura*, 60; *paleogama*, 59; *sappho*, 60; *ulalume*, 60.
cavus, Dibrachys, 56.
Ceballos, Ganzalo, 98, 100, 102.
Cenoceolius sanguineiventris, 56.
Cerambycidae, 33-57, 105, 107.
Cerambyx scalaris, 33.
Ceraphronidae, 56.
Ceraticelus laetus, 124.
Ceratinops inflatus, 124.
Ceratitis capitata, 103.
Ceratophyllidae, 111.
Cerotoma facialis, Gynandromorph of, 1-3; *trifurcata*, 1.
Ceratopogonidae, 56.
Chalcidoidea, 120.
Chasmias saucius, 56.
Chauliognathus marginatus, 105; *pennsylvanicus*, 106, 107.
chi, Chrysopa (Perla Group), 68-72.
Chionabas semidea, 35.
Chorthippus curtipennis curtipennis, 16; *parallelus*, 7.
Chromatoiulus projectus, 63.
Chrysochus auratus, 107.
Chrysomela, 52.
Chrysomelidae, 105, 107.
Chrysopa, 66-77; *californica*, 72; *carnea* (Carnea Group) 68, 69, 72, 73, 77, 78; *chi* (Perla Group), 68-72; *columbiana*, 75; *downesi* (Carnea Group), 68, 75; *emuncta*, 68; *erythrocephala*, 69; *externa*, 73; *harrisii*, (Carnea Group), 68, 69, 72-74; *incompleta* (Perla Group), 68, 69, 72, 73; *lineaticornis* (Lineaticornis Group), 68-70, 72, 74-76; *majuscula*, 69; *nigricornis* (Perla Group), 68-70, 72; *oculata* (Perla Group), 68-72, 75, 77; *plorablunda*, 72; *quadripunctata* (Perla Group), 68-72; *rufilabris* (Carnea Group), 68, 69, 72, 74; undetermined species near *oculata*, 68, 69; undetermined species near *perfecta*, (Perfecta Group), 68, 75.
Chrysopidae, 65-78.
Cicadidae, 107.
cincta, Agathis, 56.
Climacia, 86.
Climacia areolaris, 86.

Clubionidae, 126.
Cobos, A., 102.
Coccinellidae, 107.
coerulescens, Oedipoda, 7, 8.
cognatus, Meteorus, 56.
Coleoptera, 33-37, 39-52, 53-57, 105-108, 118-120.
Collembola, 102, 118, effect of carbon dioxide anaesthesia on, 61-62.
coloradensis, Dictyna, 124.
columbiana, Chrysopa, 75.
compar, Harpalus, 107.
Compositae, 21.
compressa, Poa, 20.
concolor, Saperda, 33-36, 39, 40, 52; var. *concolor* 34, 40, 52; var. *unicolor* 34, 36, 42, 48.
confusus, Melanoplus, 16, 20-22.
conjunctus, Hemerobius, 79-81.
contorta, Eperigone, 124.
copiosus, Dactylochelifer, 95.
Corduliinae, 93.
cowpea, 1.
crassipes, Lispothrips species near or equal, 57.
crassiuscula, Caenurgia, 95.
Crataegus species, 39.
crenulata, Phyllophaga, 107.
Crocothemis servilia, 93, 94.
Crossocerus nigricornis, 57.
Cruciferae, 21.
Curculionidae, 102, 105.
curtipennis curtipennis, Chorthippus, 16.
curvicauda curvicauda, Scudderia, 16, 21, 22.
Cuterebra, 109, 114.
Cuterebridae, 114.
Cynipoidea, 120.

Dacus oleae, 103.
Dactylochelifer copiosus, 95.
Daucus carota, 21.
de Aizpurúa, C. G., 102.
decemlineata, Leptinotarsa, 107.
Dafauce, Carlos, 104.
Deielia phaon, 93, 94.
dejecta, Catocala, 60.
de la Escalera, M. M., 100.
de la Fuente, Father J. M., 100
de la Paz Graells, Mariano, 97, 98.
delicatulus, Hemerobius, 84.
de Paula Martínez Sáez, Francisco, 97.
Dermacarus, 109, 115; *tamiasciuri,* 110.
Dermacentor albipictus, 109; *nigrolineatus,* 109.
Dermaptera, 107.
Dermestidae, 56.
desponsa, Melissodes, 107.
Dibrachys cavus, 56.
Dichelonyx, 24.
Dictyna, 125; *coloradensis,* 124; *manitoba,* 124; *minuta,* 124; *phylax,* 124; *sancta,* 124; species, 124, 126.
Dictynidae, 124.
differentialis, Melanoplus, 6-8, 13.
difficilis, Rhadinopsylla, 111.
Dinocheirus pallidus, 95.
Dioryctria mendacella, 104.
Diplotaxis, 24.
dippiei, Hystrichopsylla, 111, 112; *dippiei dippiei, Hystrichopsylla,* 111, *dippiei spinata, Hystrichopsylla,* 111; *dippiei truncata, Hystrichopsylla,* 111.
Diptera, 56, 102, 107, 110, 117, 121.
diptera, Psectra, 79, 84, 87.
discursans, Xysticus, 125.
disjuncta, Kimminsia, 79, 84, 85.
dispar, Lymantria, 103, 104.
Dissosteira carolina, 16, 19, 20.
Docavo, Ignacio, 102.
Dociostaurus maroccanus, 103.
Dolichomitus messor perlongus, 56; *populneus,* 56.
downesi, Chrysopa (Carnea Group), 68, 75.
Dusmet, José Maria, 102.

Ectoparasites, of Isle Royal, Michigan, 109, 116.
Elateridae, 105, 107.
elegans, Zonocerus, 6.
Eleusine indica, 19.
emuncta, Chrysopa, 68; *Meleoma,* 66-68.
Encoptolophus sordidus sordidus, 16, 19.
Encyrtidae, 56.
Entomology, Spanish, past and present, 97-104.
Eperigone contorta, 124.
Ephemeroptera, 118.
Epicauta pennsylvanica, 107.
Epitedia wenmanni wenmanni, 111.
Epilobium angustifolium, 6, 10.
Equisetum arvense, 6, 10.
Eremochrysa, 66, 76; *canadensis,* 76; *hageni,* 76.
Erigone atra, 124.
Erigoninae, 124; species, 124.
erminea, Mustela, 111, 113.
erosa, Phymata, 107.
erythrocephala, Chrysopa, 69.
Español, Francisco, 102.
Euderus lividus, 56.
Eulophidae, 56.
eurygaster, Iphiaulax, 56.
Eurytoma magdalidis, 56.
Eurytomidae, 56.
Euthystira brachyptera, 7.
ewingi, Hesperochernes, 95.
externa, Chrysopa, 73.
extensa, Tetragnatha, 125.

Fabaceae, 21.
fabra, Metoneta, 125.
facialis, Cerotoma, Gynandromorth of, 1-3.
fahrenholzi, Androlaelaps, 110.
fayi, Saperda, 39, 52.
femur-rubrum femur-rubrum, Melanoplus, 16, 19, 20.
fervidus, Bombus, 107.
filosa, Somatochlora, 94.

fistulosa, Monarda, 21.
Folsomia, 61-62; *candida,* 61-62; effect of carbon dioxide anaesthesia on, 61-62.
Forcipestricis gazeaui, 56.
Forcipomyia sp., 56.
Forficula auricularia, 107.
Forficulidae, 107.
Formicoidea, 120.
fraterna, Rhadinopsylla, 111.
fraxini, Catocala, 59.
frigidus, Petasites, 6, 10.
fuscata, Sisyra, 86.
fuscatus, Polistes, 107.

Galinosoga parviflora, 21.
gazeaui, Forcipestricis, 56.
Geotrupes, 24.
Geum macrophyllum, 6, 10.
Gil Collado, J., 102.
globosa, Achearanea, 125.
Glypta species, 57.
Gómez Menor, J., 102.
Gomphocerine, 16.
gracilis, Bathyphantes, 125; *Phyllophaga, 107.*
Gramineae, 3, 6, 19.
grandidentata, Populus, 43, 44.
Grass species, 19, 20.
Grasshopper, use of caecal and diverticular coloration in field determination of diet, 14-18.
determination of diet, 14-18.
grata, Marpissa, 125.
Grubs, white, 89-91; control of in Michigan, 89-91; populations in relation to red pine seedlings in Michigan and Wisconsin plantations, 23-28.
Gynandromorphism in the beetle *Cerotoma facialis,* 1-2; in the Odonata, 93-94.

Habritys sp., 56.
Haemogamasus ambulans, 110; *reidi,* 110, 115.
Haemophsalis leporispalustris, 110.
hageni, Eremóchrysa, 76.
Halicitidae, 107.
Hamamelis virginiana, 79.
Harpalus compar, 107; *pennsylvanicus,* 107.
harperi, Trombicula, (Neotrombicula), 110.
harrisii, Chrysopa (Carnea Group), 68, 69, 72-74.
Hemerobiidae, 79-85, 87.
Hemerobius, 79-82; *conjunctus,* 79, 80, 81; *delicatulus,* 84; *humulinus,* 80; *perelegans,* 80; *pinidumus,* 80-82; *stigma,* 79, 80; *stigmaterus,* 79.
Hemicrepidius memnonius, 107.
Hemiptera, 107, 117, 118.
Hesperochernes ewingi, 95; *lymphatus,* 95; *tamiae,* 95.
hesperomys adelpha, Peromyscopsylla, 114; *hesperomys hesperomys, Peromyscopsylla,* 114.
Heteroptera, 120.
Hipparchia semidea, 35.
hirta, Rudbeckia, 22.
Homoptera, 102, 107, 120.
Homotrupus signatus, 57.
Hoplopleuridae, 110.
Hordeum jubatum, 6.
hudsonicus, Tamiasciurus, 109-111, 113.
humulinus, Hemerobius, 80.
Hymenoptera, 56-57, 100-104, 105, 107, 117-121.
Hydrophilidae, 105.
Hystrichopsylla, 114; *dippiei,* 111, 112; *dippiei dippiei,* 111; *dippiei spinata,* 111; *dippiei truncata,* 111.
Hystrichopsyllidae, 111.

Ichneumonidae, 56, 57.
Ichneumonoidea, 120.
ilex, Quercus, 103.
illata, Melissodes, 107.
impatiens, Bombus, 105, 107.
incompleta, Chrysopa (Perla Group), 68, 69, 72, 73.
indica, Eleusine, 19.
inflatus, Ceratinops, 124.
inornata, Mecas, 34; *Saperda,* 33-57, associated insects reared from galls of, on trembling aspen, in Michigan, 53-57; geographic variation in Eastern North America, 39-52; light and dark, 39-52; nomenclatural status of, 33-38.
insignis, Myodopsylla, 114; *Myotis,* 114.
Instituto Español de Entomología, Madrid, 101, 102.
Instituto de Investigaciones Agronómicas, Madrid, 103.
insularis, Pirata, 125.
Iphiaulax eurygaster, 56.
iricolor, Serica, 107.
Ischnopsyllidae, 114.
Ischnura, 94.
Istotomidae, 61.
italicus, Calliptamus, 103.
Ixodes marxi, 110.
Ixodidae, 109.

Japanese Beetle, in Michigan, 105-108; Traps, Insects taken in, 105-108.
japonica, Popillia, 105-107.
jubatum, Hordeum, 6.
judith, Catocala, 59.
juncea, Aeshnea, 93-94.
Junco, J., 102.
Juniperus virginiana, 75, 79, 80, 82, 83.

Kimminsia, 79, 84, 85, 87; *disjuncta,* 79, 84, 85; *pretiosa,* 79, 84, 85.

Labidophoridae, 110.
laboriosa, Tetragnatha, 125.
Labratae, 21.
Lactuca species, 21.
Laelopidae, 110, 115.
laetus, Ceraticelus, 124.
Lamprochernes oblongus, 95.

latifolia, Arctagrostis, 6, 10.
Lepidium virginicum, 21.
Lepidoptera, 56, 57, 59, 60, 102, 117-122.
leporispalustris, Haemophysalis, 110.
Lepinotarsa decemlineata, 107.
Leptopsyllidae, 114.
Lepus americanus, 109, 110, 111, 113.
Lespedeza species, 21.
leucopus, Peromyscus, 114; *leucopus noveboracensis, Peromyscus*, 115.
Libellulidae, 93, 94.
lineare, Melampyrum, 63-64.
lineaticornis, Chrysopa (Lineaticornis Group), 68-70, 72, 74-76.
linyphids, 125.
Linyphiidae, 124, 126.
Linyphiinae, 125.
Lispothrips species near or equal *crassipes*, 57.
lividus, Euderus, 56.
Lixophaga new species, 56.
longifolia, Salix, 39.
lucifugus, Myotis, 114.
lupus, Canis, 109.
luteicornis, Ophistomis, 105.
Lycosidae, 125.
lydia, Plathemis, 93.
Lymantria dispar, 103, 104.
lymphatus, Hesperochernes, 95.
Lyriothemis pachygastra, 94.
Lythraceae, 21.
Lythrum salicaria, 21.

Macrodactylus subspinosus, 106, 107.
macrophyllum, Geum, 6, 10.
maculatus, Pirata, 125.
Magacyllene robiniae, 107.
magdalidis, Eurytoma, 56.
maidis, Rhopalosiphum, 106, 107.
majuscula, Chrysopa, 69.
Malaise Trap, utility and potential for sampling insect populations, 117-122.
malus, Pyrus, 79, 80, 82.
Mangora placida, 124.
manitoba, Dictyna, 124.
marginatus, Chauliognathus, 105.
maritimus, Tiballus, 125.
maroccanus, Dociostaurus, 103.
Marpissa grata, 125.
marxi, Ixodes, 110.
Mateu, Joaquín, 102.
Mecas, 33-37; *bicallosa*, 34; *inornata*, 34; *pergrata*, 35; *saturnina*, 34, 35.
Mecoptera, 118.
Megaselia new species, 56.
Melampyrum, 63, 64; *lineare*, 63, 64.
Melandryidae, 102.
Melanoplus borealis borealis, biology and ecology of, 3-13; feeding habits of adults and nymphs, 3-9; *bruneri*, 13; *confusus*, 16, 20-22; *differentialis*, 6-8, 13; *femur-rubrum femur-rubrum*, 16, 19, 20; *sanguinipes sanguinipes* 16, 19-22.
Meleoma, 66-68, 77; *emuncta*, 66-68; *signoretti*, 66-68.
Melissodes bimaculata bimaculata, 107; *desponsa*, 107; *illata*, 107.
mellifera, Apis, 106, 107.
Meloidae, 107.
memnonius, Hemicrepidius, 107.
mendacella, Dioryctria, 104.
Mercet, R. G., 100.
Mesostigmata, 110, 114, 115.
messor perlongus, Dolichomitus, 56.
Metastigmata, 109-110.
Meteorus cognatus, 56; *trachynotes*, 57.
Metoneta fabra, 125.
moesta, Saperda, 39-42, 44, 48-50, 52.
Monarda fistulosa, 21.
Micromus, 79, 82-83; *angulatus*, 79, 82; *montanus*, 79, 83; *posticus*, 81, 82; *subanticus*, 81, 82.
microti, Trombicula (Neotrombicula), 110.
Microtus, 110.
minuta, Dictyna, 124.
Minyrioloides trifrons, 124.
Minyriolus arenarius, 124.
Monopsyllus, 114; *vison*, 111; *wagneri*, 111, 113.
montanus, Micromus, 79, 83.
Morales Agacino, Eugenio, 101, 102.
morula, Acronycta, 95.
Moth, European pine shoot, variation in starting date of spring feeding in Michigan, 28-31.
multiradiata, Solidago, 6, 10.
Mustela erminea, 111, 113.
mutillid wasps, 102.
Myodopsylla insignis, 114.
Myotis, 114; *insignis*, 114; *lucifugus*, 114.
Myzinum quinquecinctum, 107.

Natural History Museum of Madrid, 97.
Navás, Father L., 100.
neogama, Catocala, 95.
Neohaematopinus sciurinus (*semifasciatus*), 109.
Neoscona arabesca, 124.
Neuroptera, 118; suborder planipennia of Wisconsin, 65-87.

niger, Ufens, 56.
nigricornis, Chrysopa (Perla Group), 68, 69, 70, 72; *Crossocerus*, 57.
nigrolineatus, Dermacentor, 109.
Noctuidae, 59-60.
nodicornis, Acanthothrips, 57.
notatus, Pissodes, 103.

Oberea schaumii, 37, 52, 54.
oblongus, Lamprochernes, 95.
obscura, Catocala, 60.
occidentalis, Sympherobius, 79, 83, 84; *Thuja*, 80.
oculata, Chrysopa (Perla Group), 68-72, 75, 77; undetermined species near, 68, 69.
oculatus, Alaus, 95.

Odinia new species near *xanthocera*, 56.
Odiniidae, 56.
Oedipoda caerulescens, 7, 8.
Oedipodinae, 16.
Odonata, 118; Gynandromorphism in, 93-94.
Oedothorax trilobatus, 124.
Oelthreutidae, 57.
officinale, Taraxacum, 6, 7, 8, 10, 22.
oleae, Dacus, 103.
Ophistomis lutercornis, 105.
Orchopeas caedens caedens, 111, 113; *caedens durus*, 113.
ornatus, Tmeticus, 124.
Orthetrum brachiale, 93.
Orthoptera, 63, 64, 118.
Orthopteroidea, 14-22.
Ostrya virginiana, 79.

pachygastra, Lyriothemis, 94.
padophylla, Salix, 6, 10, 11.
paleogama, Catocala, 59.
pallidus, Dinocheirus, 95.
palustris, Parnassia, 6, 10; *Sitticus*, 125.
parallelus, Chorthippus, 7.
Parandra brunnea, 107.
Paranthrene tabaniformis, 104; *tricincta*, 56.
Pardalophora apiculata, 16, 19-22.
Pardosa species, 125.
Parnassia palustris, 6, 10.
parviflora, Galinosoga, 21.
Peláez, D., 100.
Pelidnota punctata, 107.
pennsylvanica, Epicauta, 107.
pennsylvanicus, Chauliognathus, 106, 107; *Harpalus*, 107.
perelegans, Hemerobius, 80.
Pérez Arcas, Laureano, 97.
perfecta, Chrysopa (Perfecta Group), undetermined species near, 68, 75.
pergrata, Mecas, 35; *Saperda*, 35.
Perilampidae, 56.
Perilampus similus, 56.
Peris, S. V., 102.
Perithemis tenera, 94.
Peromyscopsylla, 114; *hesperomys adelpha*, 114; *hesperomys hesperomys*, 114.
Peromyscus, 110; *leucopus*, 114; *leucopus noveboracensis*, 115; *maniculatus*, 109, 110, 111, 113, 114.
Petasites frigidus, 6, 10.
Phaeogenes species, 57.
Phalaeothripidae, 57.
phaon, Deielia, 93, 94.
Philodromus, 125.
Phoresy by Pseudoscorpions, 95-96.
Phoridae, 56.
phylax, Dictyna, 124.
Phyllis snelleni, Rhyothemis, 93.
Phyllophaga, 24-27; *anxia*, 107; *crenulata*, 107; *gracilis*, 107; *rugosa*, 107; species, 89-91; species control of, evaluation of three Aldrin application methods, 89-91.
Phylloxera vastatrix, 97.
Phymata erosa, 107.
Phymatidae, 107.
Phytoecia, 40.
pinae, Pinus, 104.
pinidumus, Hemerobius, 80-82.
Pinus pinae, 104; *resinosa*, 28-31, 72, 73, 75, 79, 80, 82, 85, 89-91; *strobus*, 72, 75, 79, 80, 82.
Pirata insularis, 125; *maculatus*, 125; species, 125.
Pissodes notatus, 103; *validirostris*, 104.
pityocampa, Thaumethopoea, 103.
placida, Mangora, 124.
Plantago rugellii, 6, 10.
Plathemis lydia, 93.
Platycypha, 94.
Platygaster, 56.
Platygasteridae, 56.
Plecoptera, 118.
plorabunda, Chrysopa, 72.
plumosus, Catabrithorax, 124.
Poa compressa, 20; *pratensis*, 20, 123; *pratensis*, spiders found in, 123-127.
Polistes fuscatus, 107.
Polyplax, 110, 114; *auricularis*, 110.
Polystoechotes, 85-86; *punctatus*, 85, 86.
Polystoechotidae, 79, 85, 86.
pompilids, 102.
Popillia japonica, 105, 107.
populnea, Saperda, 40, 104.
populneus, Dolichomitus, 56.
Populus, 39, 40, 43, 44, 50, 103, 104; *blasamifera*, 43-51; *grandidentata*, 43, 44; hybrids, 43, 44; *tremuloides*, 33, 36, 37, 39, 40, 43-45, 48, 49, 51-53, 82.
posticus, Micromus, 81, 82.
pratense, Trifolium, 6, 10.
pratensis, Poa, 20, 123; *Poa*, spiders found in, 123-127.
pretiosa, Boriomyia, 84; *Kimminsia*, 79, 84, 85.
Proctotrupoidea, 120.
projectus, Chromatoilus, 63.
Prostigmata, 110.
Psectra, 79, 84, 87; *diptera*, 79, 84, 87.
Pseudencyrtus species, 56.
Pseudoscorpions, Phoresy by, 95-96.
pseudonietana pseudonietana, Arphia, 16.
Pseudorhopus species, 56.
Psocoptera, 118.
Psophus stridulus, 7, 8.
Pteromalidae, 56.
pullatus, Bathyphantes, 125.
punctata, Pelidnota, 107.
punctatus, Polystoechotes, 85, 86.
putrescentiae, Tyrophagus, 61.
Pyrus malus, 79, 80, 82.

quadripunctata, Chrysopa (Perla Group), 68-72.

Quercus, 70, 75, 83; *ilex*, 103; species, 72, 79, 80, 82.
Quindecimpunctata, Anatis, 107.
quinquecinctum, Myzinum, 107.

reidi, Haemogamasus, 110, 115.
resinosa, Pinus, 28-31, 72, 73, 75, 79, 80, 82, 85, 89-91.
Rhadinopsylla difficilis, 111; *fraterna*, 111.
Rhopalosiphum maidis, 106, 107.
Rhyacionia buoliana, 28-31.
Ribes sativum, 74.
robiniae, Megacyllene, 107.
Romanyk, Nestor, 103, 104.
Royal Academy of Sciences of Spain, 97.
Rubus species, 80.
Rudbeckia hirta, 22.
rufilabris, Chrysopa (Carnea Group), 68, 69, 72, 74.
rugellii, Plantago, 6, 10.
rugosa, Alnus, 80; *Phyllophaga*, 107.
rugosiventris, Atanycolus, 56.
Rupérez, Adolfo, 103, 104.
Ryothemis phyllis snelleni, 93.

saccharinum, Acer, 80.
salicaria, Lythrum, 21.
sativum, Ribes, 74.
Salix, 39, 43, 44, 49, 50; *longifolia*, 39; *padophylla*, 6, 10, 11; species, 48, 49, 51, 52, 79.
Salticidae, 125, 126.
sancta, Dictyna, 124.
sanguineiventris, Cenoceolius, 56.
sanguinipes sanguinipes, Melanoplus, 16, 19-22.
Saperda, 33, 34, 36, 37, 39, 49-52; *carcharias*, 104; *concolor*, 33-36, 39, 40, 52; *concolor*, var. *concolor*, 34, 40, 52; *concolor* var. *unicolor*, 34, 36, 42, 48; *fayi*, 39, 52; *inornata*, associated insects reared from galls of, on trembling aspen in Michigan, 53-57; geographic variation in Eastern North America, 39-52; light and dark, 39-52; *moesta*, 39-42, 44, 48-50, 52; neotype of, 36; nomenclatural status of, 33-38, *pergrata*, 35; *populnea*, 40, 104; *unicolor*, 39.
sappho, Catocala, 60.
saturnina, Mecas, 34, 35.
saucius, Chasmias, 56.
scalaris, Cerambyx, 33.
Scarabaeidae, 89-91, 102, 105, 107.
schaumii, Oberea, 37, 52, 54.
Sciaridae, 56.
sciurinus (*semifasciatus*), *Neohaematopinus*, 109.
Scrophulariaceae, 63.
scrophulariae, Anthrenus, 56.
Scudderia curvicauda curvicauda, 16, 21, 22.
Selga, D., 102.
semidea, Chionabas, 35; *Hipparchia*, 35.
Serica, 24; *iricolor*, 107.
Servicio de Plagas Forestales, Madrid, 103, 104.
servilia, Crocothemis, 93, 94.
Setaria viridis, 20.
sibirica, Achillea, 6, 10.
signatus, Homotrupus, 57.
signoretti, Meleoma, 66-68.
Silphidae, 105.
similus, Perilampus, 56.
Singa variabilis, 124.
siniensis, Vigna, 1.
Siphonaptera, 111.
Sitticus palustris, 125; *striatus*, 125.
Sisyra fuscata, 86; *vicaria*, 86.
Sisyridae, 79, 86, 87.
Solidago multiradiata, 6, 10; species, 22.
Somatochlora filosa, 94.
sordidus sordidus, Encoptolophus, 16, 19.
Spanish Society of Natural Sciences, 97.
Spharagemon bolli bolli, 16, 21.
Sphecidae, 57.
Sphingidae, 122.
Spiders, from heading bluegrass (*Poa pratensis*) in Minnesota, 123-127.
splendens, Calopteryx, 93, 94.
sponsa, Aix, 95.
stannardi, Apocheiridium, 95.
Stenomacrus species, 57.
stigma, Hemerobius, 79, 80.
stigmaterus, Hemerobius, 79.
striatus, Sitticus, 125.
stridulus, Psophus, 7, 8.
strobus, Pinus, 72, 75, 79, 80, 82.
Suárez, J. F., 102.
subanticus, Micromus, 81, 82.
subspinosus, Macrodactylus, 106, 107.
Sympherobius, 79, 83; *amiculus*, 83; *barberi*, 83; *occidentalis*, 79, 83, 84.
Symphyta, 119. 120.
Syntomopus species, 56.
Syrbula admirabilis, 15.

tabaniformis, Paranthrene, 104.
Tachinidae, 56.
tamiae, Hesperochernes, 95.
tamiasciuri, Dermacarus, 110.
Tamiasciurus hudsonicus, 109, 110, 111, 113.
Taraxacum officinale, 6, 7, 8, 10, 22.
Telenomus species, 56.
Templado, J., 102.
tenera, Perithemis, 94.
Tennesseellum new species, 125.
tenuiventris, Townesia, 57.
terricola, Bombus, 105.
testaceus, Atlanticus, 63, 64; feeding behavior of, 63.
Tetragnatha, 125, 126; *candata*, 125; *extensa*, 125; *laboriosa*, 125.
Tetragnathidae, 125.
Tetrastichus species, 56.
Tetraopes tetrophthalmus, 107.

tetrophthalmus, Tetraopes, 107.
Tettigoniidae, 63.
Thaumethopoea pityocampa, 103.
Theridiidae, 125, 126; species, 125.
theridiids, 125.
Theridion unimaculatum, 125.
Thomisidae, 125, 126.
Thomisids, 125.
Thuja occidentalis, 80.
Thysanoptera, 57, 118.
Tiballus maritimus, 125.
Tibicen canalicularis, 107.
Tiphiidae, 107.
Tmeticus ornatus, 124.
Tortrix viridana, 103.
Townesia tenuiventris, 57.
trachynotes, Meteorus, 57.
Trathala species, 57.
tremuloides, Populus, 33, 36, 37, 39, 40, 43, 44, 45, 48, 49, 51-53, 82.
Trichogrammatidae, 56.
Trichoptera, 118.
tricincta, Paranthrene, 56.
trifrons, Minyrioloides 124.
trifurcata, Cerotoma, 1.
trilobatus, Oedothorax, 124.
Trifolium pratense, 6, 10.
Trombicula (*Neotrombicula*) *harperi*, 110; (*Neotrombicula*) *microti*, 110.
Trombiculidae, 110, 114.
tuberosa, Asclepias, 21.
Tyrophagus putrescentiae, 61.
Typocerus velutinus, 105.

Ufens niger, 56.
ulalume, Catocala, 60.
Umbelliferae, 21.
unimaculatum, Theridion, 125.
University of Barcelona, 102; La Laguna, 102; Madrid, 97, 102; Oviedo, 102; Pamplona, 102; Salamanca, 102; Sevilla, 102; Valencia, 102.

validirostris, Pissodes, 104.
variabilis, Singa, 124.
variegatus, Zonocerus, 12.
vastatrix, Phylloxera, 97.
velutinus, Typocerus, 105.
Vespidae, 107.
Vicaria, Sisyra, 86.
Vigna siniensis, 1.
virescens, Agapostemon, 107.
virginiana, Hamamelis, 79; *Juniperus*, 75, 79, 80, 82, 83; *Ostrya*, 79.
virginicum, Lepidium, 21.
virgo, Calopteryx, 93.
viridana, Tortrix, 103.
viridis, Setaria, 20.
vison, Monopsyllus, 111.
vulpes, Vulpes, 109.
Vulpes vulpes, 109.

wagneri, Monopsyllus, 111, 113.
wenmanni wenmanni, Epitedia, 111.
Wesmaelius, 79.

xanthocera, Odinia new species near, 56.
Xylophrurus bicolor, 56; *bicolor maurus*, 57.
Xysticus discursans, 125; species, 125.

Zibethacarus, 115.
Zonocerus elegans, 6; *variegatus*, 12.
Zoological Museum of Barcelona, 100.